







Order Code	Model Number	Energy Star	UPC	Description	Master	Inner	Replaces	Hours
								
<b>General Service GU24 LED 15,000 hour rated life</b>								
10921	LA19927EF24	Yes	840791109212	A19 9.5W 810LM 2700K ES EF GU24 DIM 1CP replaces 10295	48	12	60W	15000
10934	LA19930EF24	Yes	840791109342	A19 9.5W 810LM 3000K ES EF GU24 DIM 1CP	48	12	60W	15000
10935	LA19940EF24	Yes	840791109359	A19 9.5W 810LM 4000K ES EF GU24 DIM 1CP	48	12	60W	15000
10922	LA19950EF24	Yes	840791109229	A19 9.5W 810LM 5000K ES EF GU24 DIM 1CP replaces 10373	48	12	60W	15000
								
<b>General Service LED Energy Star 15,000 hour rated life</b>								
11575	LA19527DESEF	-	840791115756	A19 5.5W 480LM 2700K ES EF DIM 1PK replaces 10325	48	12	40W	15000
10443	LA19527V2	Yes	840791104439	A19 5.5W 480LM 2700K ES V2.0 DIM Bulk 48	48	-	40W	15000
11576	LA19550DESEF	-	840791115763	A19 5.5W 480LM 5000K ES EF DIM 1PK replaces 11159	48	12	40W	15000
11443	LA19927DESEF	Yes	840791114438	A19 9W 820LM 2700K ES EF DIM 1PK replaces 11049	48	12	60W	15000
11447	LA19927DESEF	Yes	840791114476	A19 9W 820LM 2700K ES EF DIM 48-BULK replaces 11053	48	-	60W	15000
11444	LA19930DESEF	Yes	840791114445	A19 9W 810LM 3000K ES V2.0 DIM 1CP replaces 11050	48	12	60W	15000
11445	LA19940DESEF	Yes	840791114452	A19 9W 880LM 4000K ES V2.0 DIM 1CP replaces 11051	48	12	60W	15000
11446	LA19950DESEF	Yes	840791114469	A19 9W 880LM 5000K ES V2.0 DIM 1CP replaces 11052	48	12	60W	15000
11234	LA191127DESEF	Yes	840791112342	A19 11W 1100LM 2700K ES V2.0 DIM 1CP replaces 11154	48	12	75W	15000
11235	LA191130DESEF	Yes	840791112359	A19 11W 1100LM 3000K ES V2.0 DIM 1CP replaces 10766	48	12	75W	15000
11236	LA191140DESEF	Yes	840791112366	A19 11W 1100LM 4000K ES 2.0 DIM 1CP replaces 10767	48	12	75W	15000
11237	LA191150DESEF	Yes	840791112373	A19 11W 1100LM 5000K ES V2.0 DIM 1CP replaces 11157	48	12	75W	15000
11238	LA191427DES	Yes	840791112380	A19 14W 1600LM 2700K ES DIM 1CP replaces 11139	48	12	100W	15000
11239	LA191430DES	Yes	840791112397	A19 14W 1600LM 3000K ES DIM 1CP replaces 10342	48	12	100W	15000
11240	LA191440DES	Yes	840791112403	A19 14W 1600LM 4000K ES DIM 1CP replaces 10343	48	12	100W	15000
11241	LA191450DES	Yes	840791112410	A19 14W 1600LM 5000K ES DIM 1CP replaces 11142	48	12	100W	15000
10353	L3WA211627V2	Yes	840791103531	A21/3W 16W 1600LM 2700K ES 2.0 DIM 1CP	48	12	40/60/100W	15000
10488	L3WA211650V2	Yes	840791104880	A21/3W 16W 1600LM 5000K ES 2.0 DIM 1CP	48	12	40/60/100W	15000
								
<b>LED Smart Bulbs</b>								
11449	LBR38RGBW	Yes	840791114490	BR30 SMART 8W 650LM RGBW WIFI +BLE T20 1PK	12	-	65W	25000
11484	LA199RGBWES	Yes	840791114841	A19 SMART 9W 800LM RGBW WIFI + BLE CRI80 1PK	48	12	60W	25000

Order Code	Model Number	Energy Star	UPC	Description	Master	Inner	Replaces	Hours
<b>General Service LED Energy Star 25,000 hour rated life</b>								
11482	LA19927DESEFLL	Yes	840791114827	A19 9W 810LM 2700K ES V2.0 DIM 25000HR 1CP	48	12	60W	25000
11483	LA19927DESEFLL	Yes	840791114834	A19 9W 810LM 2700K ES V2.0 DIM 25000HR 48-BULK	48	12	60W	25000
								
<b>General Service LED Value Eco</b>								
10881	L8EEOA19527	-	840791108819	A19 5.5W 480LM 2700K ECO NON-DIM 1CP replaces 10788	24	6	40W	15000
10769	L8EEOA19527	-	840791107690	A19 5.5W 480LM 2700K ECO NON-DIM 2PK replaces 10241	24	6	40W	15000
10789	L7EEOA19550	-	840791107898	A19 5.5W 480LM 5000K ECO NON-DIM 1CP replaces 10214	24	6	40W	15000
10882	L8EEOA19550	-	840791108826	A19 5.5W 480LM 5000K ECO NON-DIM 1CP replaces 10214	24	6	40W	15000
10770	L8EEOA19550	-	84079107706	A19 5.5W 480LM 5000K ECO NON-DIM 2PK replaces 10242	24	6	40W	15000
10784	L8EEOA19927	-	840791107843	A19 9.5W 800LM 2700K ECO NON-DIM 1CP replaces 10215	24	6	60W	15000
10786	L8EEOA19927	-	840791107867	A19 9.5W 800LM 2700K ECO NON-DIM 2CP replaces 10238	24	6	60W	15000
10774	L8EEOA19927	-	840791107744	A19 9.5W 800LM 2700K ECO NON-DIM 4CP replaces 10304	6	3	60W	15000
10885-DP	L8EEOA19927	-	840791108857	A19 9.5W 800LM 2700K ECO NON-DIM 4PK Display replaces 10308-DP	45	-	60W	15000
10776	L8EEOA19927	-	840791107768	A19 9.5W 800LM 2700K ECO NON-DIM 8PK	4	-	60W	15000
10691	L8EEOA19930	-	840791106914	A19 9.5W 800LM 3000K ECO NON-DIM 1CP	24	6	60W	15000
10785	L8EEOA19950	-	840791107850	A19 9.5W 800LM 5000K ECO NON-DIM 1CP replaces 10216	24	6	60W	15000
10787	L8EEOA19950	-	840791102398	A19 9.5W 800LM 5000K ECO NON-DIM 2CP replaces 10239	24	6	60W	15000
10775	L8EEOA19950	-	840791103050	A19 9.5W 800LM 5000K ECO NON-DIM 4CP replaces 10305	6	3	60W	15000
10886-DP	L7EEOA19950	-	840791103814	A19 9.5W 800LM 5000K ECO NON-DIM 4PK Display replaces 10830-DP	45	-	60W	15000
10777	L8EEOA19950	-	840791107775	A19 9.5W 800LM 5000K ECO NON-DIM 8PK	4	-	60W	15000
10792	L7EEOA191127	-	840791107928	A19 11W 1100LM 2700K ECO NON-DIM 1CP	24	6	75W	15000
10794	L7EEOA191127	-	840791107942	A19 11W 1100LM 2700K ECO NON-DIM 2PK replaces 10308-RP	24	6	75W	15000
10780	L7EEOA191127	-	840791107805	A19 11W 1100LM 2700K ECO NON-DIM 4PK	6	3	75W	15000
10793	L7EEOA191150	-	840791107935	A19 11W 1100LM 5000K ECO NON-DIM 1CP replaces 10244	24	6	75W	15000
10795	L7EEOA191150	-	840791107959	A19 11W 1100LM 5000K ECO NON-DIM 2PK replaces 10309-RP	24	6	75W	15000
10781	L7EEOA191150	-	840791107812	A19 11W 1100LM 5000K ECO NON-DIM 4PK	6	3	75W	15000
11306	L8EEOA191427	-	840791113066	A19 14W 1500LM 2700K ECO NON-DIM 1CP	24	6	100W	15000
11308	L8EEOA191427	-	840791113080	A19 14W 1500LM 2700K ECO NON-DIM 2PK	24	6	100W	15000
10635	L7EEOA211427	-	840791106358	A21 14.5W 1500LM 2700K ECO NON-DIM 4PK	6	-	100W	15000
10782	L7EEOA211427	-	840791107829	A21 14.5W 1500LM 2700K ECO NON-DIM 4PK	6	-	100W	15000
11310	L8EEOA191427	-	840791113103	A19 14W 1500LM 2700K ECO NON-DIM 4PK replaces 10635, 10782.	6	-	100W	15000
10719	L7EEOA211435	-	840791107195	A21 14.5W 1500LM 3500K ECO NON-DIM 4PK	6	-	100W	15000
11307	L8EEOA191450	-	840791113073	A19 14W 1500LM 5000K ECO NON-DIM 1CP replaces 10797	24	6	100W	15000
11309	L8EEOA191450	-	840791113097	A19 14W 1500LM 5000K ECO NON-DIM 2PK replaces 10799	24	6	100W	15000

Order Code	Model Number	Energy Star	UPC	Description	Master	Inner	Replaces	Hours
11311	L8EOA191450	-	840791113110	A19 14W 1500LM 5000K ECO NON-DIM 4PK replaces 10636	6	-	100W	15000
								
<b>Colored LED</b>								
10725	LA19YE	-	840791107256	A19 5.5W YELLOW 1PK	48	12	40W	15000
								
<b>Miniature LED</b>								
10831	LGU10630D7	Yes	840791108314	GU10 6.5W 500LM 3000K 38° DIM 15,000HR ES 1RP	24	6	50W	15000
10832	LGU10640D7	Yes	840791108321	GU10 6.5W 500LM 4000K 38° DIM 15,000HR ES 1RP	24	6	50W	15000
10833	LGU10650D7	Yes	840791108338	GU10 6.5W 500LM 5000K 38° DIM 15,000HR ES 1RP	24	6	50W	15000
10834	LMR16630D6	Yes	840791108963	MR16 6.5W 500LM 3000K 38° DIM 1RP will replace 10191	24	6	50W	15000
10835	LMR16640D6	Yes	840791108352	MR16 6.5W 500LM 4000K 38° DIM 1RP replaces 10261	24	6	50W	15000
10836	LMR16650D6	Yes	840791108369	MR16 6.5W 500LM 5000K 38° DIM 1PK replaces 10278	24	6	50W	15000
								
<b>Decorative</b>								
10461	LG25527ND	Yes	840791104613	G25 5W 350LM 2700K 250° NON-DIM WH 1CP E26	12	-	40W	15000
11353	LG25527DES	Yes	840791113530	G25 5.5W 500LM 2700K 250° DIM WH 1CP E26	12	-	60W	25000
								
<b>Filament LED</b>								
10661	LS14127CFIL	-	840791106617	FILAMENT S14 1W 80LM 2700K 1PK	24	12	11W	15000
11251	LT10522AFIL	-	840791112519	FILAMENT T10 5W 380LM 2200K AMBER DIM E26 replaces 10663	24	12	40W	15000
11283	LB10527DFIL	Yes	840791112830	FILAMENT B10 5.2W 500LM 2700K CL DIM E12 replaces 10662	24	12	60W	15000
11220	LB10427DCFIL9	Yes	840791112205	FILAMENT B10 4W 330LM 2700K CLEAR DIM E12 replaces 10664	24	6	40W	15000
11229	LB10427DCFILE26	Yes	840791112298	FILAMENT B10 4W 330LM 2700K CL DIM E26	24	6	40W	15000
11194	LBA10427DCFIL9	Yes	840791111949	FILAMENT BA10 4W 330LM 2700K CL DIM E12 replaces 10687	24	6	40W	15000
11195	LA19527DCFIL9	Yes	840791111956	FILAMENT A19 5W 450LM 2700K CL DIM 1CP replaces 10665	48	12	40W	15000
11197	LA19727DCFIL9	Yes	840791111970	FILAMENT A19 7W 800LM 2700K CL DIM 1CP replaced 10666	48	12	60W	15000
11192	LST19527DCFILH	Yes	840791111925	FILAMENT ST19 5W 430LM 2700K CL DIM 1CP replaces 10667	24	6	40W	15000
11193	LST19522DAFILH	Yes	840791111932	FILAMENT ST19 5W 380LM 2200K A DIM 1CP replaced 10668	24	6	40W	15000
11199	LG25527DCFIL9	Yes	840791111994	FILAMENT G25 5W 450LM 2700K CLEAR DIM 1CP	12	6	40W	15000
<b>Refrigerator / Freezer LED</b>								
10345-RP	LA15550	-	840791103456	A15 4.7W 300LM 5000K REF 250° NO DIM E26 1 CARD Retail Blister Pack	24	6	40W	25000
<b>Decorative</b> <span style="color: red;">Items marked "CLOSEOUT" are in limited quantity, no substitutions when inventory is depleted.</span>								
10335-RP	LA15527D5	-	840791103357	A15 4.7W 300LM 2700K CL 250° DIM 1 CARD - <b>CLOSEOUT</b>	24	6	40W	25000
10336-RP	LA15527DWH5	-	840791103364	A15 4.7W 300LM 2700K WH 250° DIM 1 CARD - <b>CLOSEOUT</b>	24	6	40W	25000
10337-RP	LA15527DM5	-	840791103371	A15 4.7W 300LM 2700K CL 250° DIM E26 1 CARD - <b>CLOSEOUT</b>	24	6	40W	25000
10338-RP	LA15527DMWH5	-	840791103388	A15 4.7W 300LM 2700K WH 250° DIM E26 1 CARD - <b>CLOSEOUT</b>	24	6	40W	25000

Order Code	Model Number	Energy Star	UPC	Description	Master	Inner	Replaces	Hours
								

**Flood Lamp LED BR20, BR30, BR40**

11223	LR2727D6	Yes	840791112236	BR20 7.5W 525LM 2700K 120° DIM 1CP	24	12	50W	15000
11224	LR2750D6	Yes	840791112243	BR20 7.5W 525LM 5000K 120° DIM 1CP	24	12	50W	15000
11397	LBR3827DLL	Yes	840791113974	BR30 8W 650LM 2700K 110° DIM 1PK 25,000HR	12	-	65W	25000
11399	LBR3840DLL	Yes	840791113998	BR30 8W 650LM 4000K 110° DIM 1PK 25,000HR replaces 10809	12	-	65W	25000
11400	LBR3850DLL	Yes	840791114001	BR30 8W 650LM 5000K 110° DIM 1PK 25,000HR	12	-	65W	25000
10813	LBR4927D7	Yes	840791108130	BR40 9W 650LM 2700K DIM 1PK	12	-	65W	15000
10814	LBR4950D7	Yes	840791108147	BR40 9W 650LM 5000K DIM 1PK	12	-	65W	15000
10815	LBR41527D7	Yes	840791108154	BR40 15.5W 1100LM 2700K 120° DIM 1RP 15,000HR	12	-	85W	15000
11589	LBR41527D8	Yes	840791115893	BR40 15.5W 1100LM 2700K DIM 1PK will replace 10815	12	-	85W	15000
11590	LBR41550D8	Yes	840791115909	BR40 15.5W 1100LM 5000K DIM 1PK replaces 10816	12	-	85W	15000






**PAR Lamp LED**


10829	LP16630D7	Yes	840791108291	PAR16 6.5W 500LM 3000K 38° DIM 1CP	48	12	50W	15000
10817	LP2830D7	Yes	840791108178	PAR20 7W 520LM 3000K 40° DIM 15,000HR 1CP	24	12	50W	15000
10818	LP2840D7	Yes	840791108185	PAR20 7W 520LM 4000K 40° DIM 15,000HR 1CP replaces 10433	24	12	50W	25000
10819	LP2850D7	Yes	840791108192	PAR20 7W 520LM 5000K 40° DIM 15,000HR 1CP	24	12	50W	25000
10823	LP31230DSN7	Yes	840791108239	PAR30SN 10W 800LM 3000K 40° DIM 15,000HR 1CP	12	-	75W	15000
10825	LP31250DSN7	Yes	840791108253	PAR30SN 10W 800LM 5000K 40° DIM 15,000HR 1CP	12	-	75W	15000
10820	LP31230D7	Yes	840791108208	PAR30 10W 800LM 3000K 40° DIM 1CP	12	-	75W	15000
11029	LP31230D725	Yes	840791110294	PAR30 10W 800LM 3000K 25° DIM 1CP	12	-	75W	15000
10821	LP31240D7	Yes	840791108215	PAR30 10W 800LM 4000K 40° DIM 1CP	12	-	75W	15000
10674	LP31340D625	Yes	840791106747	PAR30 13W 800LM 4000K 25° DIM R90 1CP	12	-	75W	25000
10822	LP31250D7	Yes	840791104378	PAR30 10W 800LM 5000K 40° DIM CRI90 1CP	12	-	75W	25000
10675	LP31350D625	Yes	840791106754	PAR30 13W 800LM 5000K 25° DIM R90 1CP	12	-	75W	25000
10826	LP381630D7	Yes	840791108260	PAR38 15W 1200LM 3000K 40° DIM 1CP	12	-	100W	15000
10670	LP381830D625	Yes	840791106709	PAR38 18.5W 1200LM 3000K 25° DIM R90 1CP	12	-	100W	25000
10827	LP381640D7	Yes	840791108277	PAR38 15W 1200LM 4000K 40° DIM 1CP replaces 10421	12	-	100W	25000
11033	LP381640D725	Yes	840791110331	PAR38 15W 1200LM 4000K 25° DIM 1CP replaces 10671	12	-	100W	25000
10828	LP381650D7	Yes	840791108284	PAR38 15W 1200LM 5000K 40° DIM 1CP	12	-	100W	15000
11034	LP381650D725	Yes	840791110348	PAR38 15W 1200LM 5000K 25° DIM 1CP replaces 10672	12	-	100W	15000







**PAR Lamp LED - High Lumen (Note: 40 degree beam angle available for information contact EarthTronics)**

11267	LP3203025HO	-	840791112670	PAR30 19.8W 2300LM 3000K 25° 120-277V	12	-	150W	50000
11268	LP3204025HO	-	840791112687	PAR30 19.8W 2300LM 4000K 25° 120-277V	12	-	150W	50000
11269	LP3205025HO	-	840791112694	PAR30 19.8W 2300LM 5000K 25° 120-277V	12	-	150W	50000
11270	LP38273025HO	-	840791112700	PAR38 27W 3000LM 3000K 25° 120-277V	12	-	200W	50000
11271	LP38274025HO	-	840791112717	PAR38 27W 3000LM 4000K 25° 120-277V	12	-	200W	50000
11272	LP38275025HO	-	840791112724	PAR38 27W 3000LM 5000K 25° 120-277V	12	-	200W	50000

Order Code	Model Number	Energy Star	UPC	Description	Master	Inner	Replaces	Hours
  								
<b>T5 LED Type A "Plug &amp; Play" for electronic ballast</b>								
10850	LT525840G3	DLC	840791108505	TLED Type A T5 25W 3500L 4000K (replace 54 watt T5HO)	25	-	T5	50000
10851	LT525850G3	DLC	840791108512	TLED Type A T5 25W 3500L 5000K (replace 54 watt T5HO)	25	-	T5	50000
<b>T5 LED Type B 120/277V Direct Wire Double End Feed</b>								
11116	LT512840BDE	DLC	840791111161	TLED T5 Type B DE 12.5W 1800LM 4000K	25	-	T5	50000
10929	LT525840BDE	DLC	840791109298	TLED T5 Type B DE 25W 3500LM 4000K	25	-	T5	50000
10930	LT525850BDE	DLC	840791109304	TLED T5 Type B DE 25W 3500LM 5000K	25	-	T5	50000
<b>T8 LED Type B 120/277v Direct Wire (single end feed)</b>								
10427	LT814840BP	DLC	840791104279	TLED Type B 14.5 watt 2200L 4000K 120/277V	25	-	T8 48"	50000
10428	LT814850BP	DLC	840791104286	TLED Type B 14.5 watt 2200L 5000K 120/277V	25	-	T8 48"	50000
<b>T8 LED Type B 120/277v Direct Wire Double End Feed</b>								
11487	LT812835BDE	DLC	840791114872	TLED Type B DE 12W 1700LM 3500K 120/277V	25	-	T8 48"	50000
11488	LT812840BDE	DLC	840791114889	TLED Type B DE 12W 1800LM 4000K 120/277V	25	-	T8 48"	50000
11489	LT812850BDE	DLC	840791114896	TLED Type B DE 12W 1800LM 5000K 120/277V	25	-	T8 48"	50000
11563	LT814840BDE	DLC	840791115633	TLED Type B DE 14W 1800LM 4000K 120/277V	25	-	T8 48"	50000
11564	LT814850BDE	DLC	840791115640	TLED Type B DE 14W 1800LM 5000K 120/277V	25	-	T8 48"	50000
10611	LT815835BDE	DLC	840791106112	TLED Type B DE 15 watt 2200L 3500K 120/277V	25	-	T8 48"	50000
10553	LT815840BDE	DLC	840791105535	TLED Type B DE 15 watt 2200L 4000K 120/277V	25	-	T8 48"	50000
10554	LT815850BDE	DLC	840791105542	TLED Type B DE 15 watt 2200L 5000K 120/277V	25	-	T8 48"	50000
11561	LT817835BDE	DLC	840791115619	TLED Type B DE 17W 2100LM 3500K 120/277V	25	-	T8 48"	50000
10745	LT817840BDE	DLC	840791107454	TLED Type B DE 17W 2200LM 4000K 120/277V	25	-	T8 48"	50000
10746	LT817850BDE	DLC	840791107461	TLED Type B DE 17W 2200LM 5000K 120/277V	25	-	T8 48"	50000
11124	LT815840BDEC	DLC	840791111246	TLED Type B DE 15W 2200LM 4000K 120/277V Coated	25	-	T8 48"	50000
11125	LT815850BDEC	DLC	840791111253	TLED Type B DE 15W 2200LM 5000K 120/277V Coated	25	-	T8 48"	50000
11405	-	-	840791114056	EM TLED TYPE B BACKUP 10W 100-277V	-	-	T8 48"	50000
<b>24" T8 LED Type B 120/277v Direct Wire Double End Feed</b>								
10650	LT829835BDE	DLC	840791106501	TLED Type B 2' DE 9W 1150LM 3500K	25	-	T8 24"	50000
10651	LT829840BDE	DLC	840791106518	TLED Type B 2' DE 9W 1150LM 4000K	25	-	T8 24"	50000
10652	LT829850BDE	DLC	840791106525	TLED Type B 2' DE 9W 1150LM 5000K	25	-	T8 24"	50000
<b>36" T8 LED Type B 120/277v Direct Wire Double End Feed</b>								
11128	LT8312840BDE	DLC	840791111284	TLED Type B 3' DE 12W 1450LM 4000K 120/277V	25	-	T8 36"	50000
11129	LT8312850BDE	DLC	840791111291	TLED Type B 3' DE 12W 1450LM 5000K 120/277V	25	-	T8 36"	50000
<b>U-Bend Type B 120/277V Direct Wire Single End Feed</b>								
10628	LT8U18840B	DLC	840791106280	TLED Type B U-Bend 18W 2200LM 4000K	10	-	T8 U-Bend	50000
10629	LT8U18850B	DLC	840791106297	TLED Type B U-Bend 18W 2200LM 5000K	10	-	T8 U-Bend	50000
<b>8ft LED Type B 120/277v Direct Wire Double End Feed</b>								
11593	LT832840BDE	DLC	840791115930	TLED Type B 8' DE 32W 4400LM 4000K Fa8 (Single Pin) will replace 10977	10	-	T8 8ft	50000
11594	LT832850BDE	DLC	840791115947	TLED Type B 8' DE 32W 4400LM 5000K Fa8 (Single Pin) will replace 10978	10	-	T8 8ft	50000
11550	LT840850BDEHO	-	840791115503	TLED Type B 8' DE 40W 5500LM 5000K R17d (HO Pin) will replace 11134	10	-	T8 8ft	50000
<b>PL-L Type B 120/277V Direct Wire</b>								
11403	PLL17840B	DLC	840791114032	PLLED Type B 17W 2200LM 4000K 120/277V	50	-	PL-L	50000
11404	PLL17850B	DLC	840791114049	PLLED Type B 17W 2200LM 5000K 120/277V	50	-	PL-L	50000

Order Code	Model Number	Energy Star	UPC	Description	Master	Inner	Replaces	Hours
<b>Multi-Function T8 LED Type A "Plug &amp; Play" for Electronic IS, RS, PS and Emergency Back-up ballast</b>								
11439	LT814835G9	DLC	840791114391	TLED Type A 14W 2200LM 3500K G9	25	-	T8 48"	50000
11440	LT814840G9	DLC	840791114407	TLED Type A 14W 2200LM 4000K G9	25	-	T8 48"	50000
11441	LT814850G9	DLC	840791114414	TLED Type A 14W 2200LM 5000K G9	25	-	T8 48"	50000
<b>T8 multi-function Type A - Coated</b>								
10842	LT815840AG5C	DLC	840791108420	TLED Type A 15W 2200LM 4000K G5 Coated	25	-	T8 48"	50000
10843	LT815850AG5C	DLC	840791108437	TLED Type A 15W 2200LM 5000K G5 Coated	25	-	T8 48"	50000
<b>U-Bend T8 Multi-Function LED Type A "Plug &amp; Play" for Electronic IS, RS, PS and Emergency Back-up ballast</b>								
10626	LT8U15840	DLC	840791106266	TLED Type A U-BEND 15 watt 2200L 4000K	12	-	T8 U-Bend	50000
10627	LT8U15850	DLC	840791106273	TLED Type A U-BEND 15 watt 2200L 5000K	12	-	T8 U-Bend	50000
<b>24" T8 Multi-Function LED Type A "Plug &amp; Play" for Electronic IS, RS, PS and Emergency Back-up ballast</b>								
11427	LT828835AG9	DLC	840791114278	TLED Type A 24" 8 watt 1250L 3500K	25	-	T8 24"	50000
10566	LT828840AG5	DLC	840791105665	TLED Type A 24" 8 watt 1250L 4000K	25	-	T8 24"	50000
10567	LT828850AG5	DLC	840791105672	TLED Type A 24" 8 watt 1250L 5000K	25	-	T8 24"	50000
10265	LT829850	-	840791102657	TLED Type A 24" 9 watt 1100L 5000K <b>CLOSEOUT - limited quantity, no substitutions when inventory is depleted.</b>	25	-	T8 24"	50000
<b>36" T8 Multi-Function LED Type A "Plug &amp; Play" for Electronic IS, RS, PS and Emergency Back-up ballast</b>								
10653	LT811835	DLC	840791106532	TLED Type A 36" 12 watt 1450L 3500K	25	-	T8 36"	50000
11432	LT8310840G9	DLC	840791114322	TLED Type A 36" 10 watt 1450L 4000K G9	25	-	T8 36"	50000
10536	LT811850	DLC	840791105368	TLED Type A 36" 12 watt 1450L 5000K	25	-	T8 36"	50000
 <p>Full Radial Illumination      Horizontal Orientation      Downlight, Directional Orientation</p>								
<b>PL LED 4-pin Electronic Ballast - Full Radial Illumination. Items marked "CLOSEOUT" are in limited quantity, no substitutions when inventory is depleted.</b>								
10170	LPD10IS/G24Q/850	-	840791101704	PLED 10W 800LM 5000K Electronic 4-PIN G24q-1 <b>CLOSEOUT</b>	48	12	13W	25000
10171	LPD12IS/G24Q/830	-	840791101711	PLED 12W 1100LM 3000K Electronic 4-PIN G24q-2 <b>CLOSEOUT</b>	48	12	18W	25000
<b>PL LED 4-pin Electronic Ballast - horizontal, adjustable base design for d&lt; 4-pin Electronic Ballast - Horizontal Orientation - Adjustable base</b>								
10697	LPD9IS/G24Q/830H	DLC	840791106976	PLED 9W 800LM 3000K Electronic 4-PIN G24q-1 Horizontal	48	12	13W	50000
10698	LPD9IS/G24Q/840H	DLC	840791106983	PLED 9W 800LM 4000K Electronic 4-PIN G24q-1 Horizontal	48	12	13W	50000
10699	LPD9IS/G24Q/850H	DLC	840791106990	PLED 9W 800LM 5000K Electronic 4-PIN G24q-1 Horizontal	48	12	13W	50000
10700	LPD12IS/G24Q/830/H	DLC	840791107003	PLED 12W 1100LM 3000K Electronic 4-PIN G24q-2 Horizontal	48	12	13W / 18W / 26W	50000
10701	LPD12IS/G24Q/840/H	DLC	840791107010	PLED 12W 1100LM 4000K Electronic 4-PIN G24q-2 Horizontal	48	12	13W / 18W / 26W	50000
10702	LPD12IS/G24Q/850/H	DLC	840791107027	PLED 12W 1100LM 5000K Electronic 4-PIN G24q-2 Horizontal	48	12	13W / 18W / 26W	50000
<b>PL LED 4-pin Electronic Ballast - vertical design for downlight or director 4-pin Electronic Ballast - Downlight, Directional Orientation</b>								
10703	LPD12IS/G24Q/830/V	DLC	840791107034	PLED 12W 1100LM 3000K Electronic 4-PIN G24q-2 Vertical	48	12	13W / 18W / 26W	50000
10704	LPD12IS/G24Q/840/V	DLC	840791107041	PLED 12W 1100LM 4000K Electronic 4-PIN G24q-2 Vertical	48	12	13W / 18W / 26W	50000
10705	LPD12IS/G24Q/850/V	DLC	840791107058	PLED 12W 1100LM 5000K Electronic 4-PIN G24q-2 Vertical	48	12	13W / 18W / 26W	50000
<b>PL LED 2-pin Magnetic Ballast - Full Radial Illumination (can be direct wired to 120VAC) Items marked "CLOSEOUT" are in limited quantity, no substitutions when inventory is depleted.</b>								
10175	LPD9M/GX23/840	-	840791101759	PLED 9W 800LM 4000K Magnetic Ballast 2-PIN GX23-2 <b>CLOSEOUT</b>	48	12	13W	25000
10177	LPD11M/G24d/830	-	840791101773	PLED 11.5W 1100LM 3000K Magnetic Ballast 2-PIN G24d-2 <b>CLOSEOUT</b>	48	12	18W	25000
10178	LPD11M/G24d/840	-	840791101780	PLED 11.5W 1100LM 4000K Magnetic Ballast 2-PIN G24d-2 <b>CLOSEOUT</b>	48	12	18W	25000
10179	LPD11M/G24d/850	-	840791101797	PLED 11.5W 1100LM 5000K Magnetic Ballast 2-PIN G24d-2 <b>CLOSEOUT</b>	48	12	18W	25000
<b>PL LED 2-pin Magnetic Ballast - horizontal, adjustable base design for dowlight and wall sconce (can be direct wired to 120VAC)</b>								
10706	LPD9M/GX23/830/H	-	840791107065	PLED 9W 800LM 3000K Magnetic Ballast 2-PIN GX23-2 Horizontal	48	12	13W	50000
10707	LPD9M/GX23/840/H	-	840791107072	PLED 9W 800LM 4000K Magnetic Ballast 2-PIN GX23-2 Horizontal	48	12	13W	50000
10708	LPD9M/GX23/850/H	-	840791107089	PLED 9W 800LM 5000K Magnetic Ballast 2-PIN GX23-2 Horizontal	48	12	13W	50000
10709	LPD12M/G24d/830/H	-	840791107096	PLED 12W 1100LM 3000K Magnetic Ballast 2-PIN G24d-2 Horizontal	48	12	18W / 26W	50000

Order Code	Model Number	Energy Star	UPC	Description	Master	Inner	Replaces	Hours
10710	LPD12M/G24d/840/H	-	840791107102	PLED 12W 1100LM 4000K Magnetic Ballast 2-PIN G24d-2 Horizontal	48	12	18W / 26W	50000
10711	LPD12M/G24d/850/H	-	840791107119	PLED 12W 1100LM 5000K Magnetic Ballast 2-PIN G24d-2 Horizontal	48	12	18W / 26W	50000
<b>PL LED 2-pin Magnetic Ballast - vertical design for downlight applications 2-pin Magnetic Ballast- Downlight, Directional Orientation (can be directed wire to 120VAC or 277VAC)</b>								
10712	LPD12M/G24d/830/V	-	840791107126	PLED 12W 1100LM 3000K Magnetic Ballast 2-PIN G24d-2 Vertical	48	12	18W / 26W	50000
10713	LPD12M/G24d/840/V	-	840791107133	PLED 12W 1100LM 4000K Magnetic Ballast 2-PIN G24d-2 Vertical	48	12	18W / 26W	50000
10714	LPD12M/G24d/850/V	-	840791107140	PLED 12W 1100LM 5000K Magnetic Ballast 2-PIN G24d-2 Vertical	48	12	18W / 26W	50000
  <p>Wattage &amp; Color Selectable</p>								
<b>High Lumen H.I.D Replacement</b>								
10374	HL1030E26	-	840791103746	HL 10W 1200LM 3000K E26 1CP	48	-	75W / 40W HID	50000
10367	HL1050E26	-	840791103678	HL 10W 1200LM 5000K E26 MED BASE 1CP	48	-	75W / 40W HID	50000
10375	HL1430E26	-	840791103753	HL 14W 1680LM 3000K E26 1CP	48	-	100W / 50W HID	50000
10376	HL1830E26	-	840791103760	HL 18W 2160LM 3000K E26 1CP	48	-	150W / 60W HID	50000
11502	HL1850E26G5	-	840791115022	HL 18W 2790LM 5000K E26 1PK replaces 10281	48	-	150W / 60W HID	50000
10377	HL3630E26	-	840791103777	HL 36W 4320LM 3000K E26 1CP	12	-	70W HID	50000
10282	HL3650E26	-	840791102824	HL 36W 4320LM 5000K E26 MED BASE 1CP	12	-	70W HID	50000
11503	HL2750E26G5	-	840791115039	HL 27W 4185LM 5000K E26 1PK will replace 10282	12	-	70W HID	50000
11505	HL4550E26	-	840791115053	HL 45W 6975LM 5000K 120-277V E26 1PK replaces 54 watt	24	-	100W HID	50000
11506	HL4550EX39	DLC	840791115060	HL 45W 6975LM 5000K 120-277V EX39 1PK replaces 54 watt	24	-	100W HID	50000
11507	HL60CCTEX39	DLC	840791115077	HL 40W/60W, 6300/9000LM, 4000K/5000K WATT & COLOR SELECTABLE 120-277V EX39	12	-	150W HID	50000
11508	HL80CCTEX39	DLC	840791115084	HL 56W/80W, 8400/12000LM, 4000K/5000K WATT & COLOR SELECTABLE 120-277V EX39	4	-	200W HID	50000
11509	HL100CCTEX39	DLC	840791115091	HL 70W/100W, 10500/15000LM, 4000K/5000K WATT & COLOR SELECTABLE 120-277V EX39	4	-	400W HID	50000
11510	HL120CCTEX39	DLC	840791115107	HL 84W/120W, 18000/12600LM, 4000K/5000K WATT & COLOR SELECTABLE 120-277V EX39	4	-	400W HID	50000
								
<b>High Lumen Post Lights</b>								
10985	HLP3640E26	-	840791109854	HL POST 36W 5040LM 4000K E26 1PK	6	-	120W HID	50000
10986	HLP5440EX39	-	840791109861	HL POST 54W 7560LM 4000K EX39 1PK	6	-	120W HID	50000
								
<b>Back Light Panels (please note 1x4 panels can be found in the CCT &amp; Watt Selectable panel section)</b>								
11491	LDFP2X24440D1	DLC	840791114919	Back Light Panel 2x2 40W 4400LM 4000K 120-277V 1PK replaces 11285	4	1	2x2	50000
11494	LDFP2X45540D1	DLC	840791114940	Back Light Panel 2x4 50W 5500LM 4000K 120-277V 1PK will replace 11288	4	1	2x4	50000
11495	LDFP2X45550D1	DLC	840791114957	Back Light Panel 2x4 50W 5500LM 5000K 120-277V 1PK will replace 11289	4	1	2x4	50000
11469	-	-	840791114698	EM PANEL BACKUP 15W 100-347V	-	-	-	-
<b>Back Light Panels - Color &amp; Wattage Selectable 3500/4000/5000K</b>								
11496	LDFP2X2W50CCTD1	DLC	840791114964	Back Light Panel 2x2 20-30-35 Watt 2200/3300/4000LM 3CCT Selectable 120-277V	1	-	2x2	50000
11497	LDFP1X4W50CCTD1	DLC	840791114971	Back Light Panel 1x4 20-30-35 Watt 2200/3300/4000LM 3CCT Selectable 120-277V	1	-	1x4	50000
11498	LDFP2X4W50CCTD1	DLC	840791114988	Back Light Panel 2x4 30-35-45 Watt 3300/4000/5000LM 3CCT Selectable 120-277V	1	-	2x4	50000
11469	-	-	840791114698	Emergency Back-up 15 watt 100-347V	-	-	-	-

Order Code	Model Number	Energy Star	UPC	Description	Master	Inner	Replaces	Hours
<b>Panel Lights - Mounting Kits for Back Light Panels</b>								
11530	-	-	840791115305	PANEL 2X2 SURFACE MOUNT KIT - 2.8" thickness	-	-	2x2	-
11531	-	-	840791115312	PANEL 1X4 SURFACE MOUNT KIT	-	-	1x4	-
11532	-	-	840791115329	PANEL 2X4 SURFACE MOUNT KIT	-	-	2x4	-



**Troffer LED - 2x2, 2x4** Items marked "CLOSEOUT" are in limited quantity, no substitutions when inventory is depleted.

10876	LTF2X23750D	DLC	840791108765	Troffer 2X2 30W 3780LM 5000K 1PK <span style="color: red;">CLOSEOUT</span>	1	-	2x2	50000
10878	LTF2X44240D	DLC	840791108789	Troffer 2X4 34W 4280LM 4000K 1PK <span style="color: red;">CLOSEOUT</span>	1	-	2x4	50000
11021	LTF2X46840D	DLC	840791110218	Troffer 2X4 56W 6875LM 4000K 1PK <span style="color: red;">CLOSEOUT</span>	1	-	1x4	50000

**Troffer LED - 2x2, 2x4 - Wattage & Color Selectable 3500K/4000K/5000K** Available late March 2022

11010	LTF1X44340D	DLC	840791110102	Troffer 1X4 35W 4375LM 4000K 1PK	1	-	1x4	50000
11011	LTF1X44350D	DLC	840791110119	Troffer 1X4 35W 4375LM 5000K 1PK	1	-	1x4	50000
11604	LTF2X2WSCCTD1	-	840791116043	Troffer 2x2 20/25/30W 2500/3125/3750LM 3-CCT Selectable 120-277V	2	-	2x2	50000
11605	LTF2X4WSCCTD1	-	840791116050	Troffer 2x4 25/30/34W 3125/3750/4250LM 3-CCT Selectable 120-277V	2	-	2x4	50000
11607	-	-	840791116074	Troffer PIR Sensor Kit	1	-	-	-
11469	-	-	840791114698	Emergency Back-up 15 watt 100-347V	-	-	-	-
11103	-	-	840791111031	1x4 Mud in Frame for Troffer	-	-	-	-
11101	-	-	840791111017	2x2 Mud In Frame for Troffer	-	-	-	-
11102	-	-	840791111024	2x4 Mud in Frame for Troffer	-	-	-	-



**Wrap Fixtures** Items marked "CLOSEOUT" are in limited quantity, no substitutions when inventory is depleted.

11098	LW44840D	DLC	840791110980	Wrap 42W 4410LM 4000K 120-277V <span style="color: red;">CLOSEOUT</span>	1	-	48" nom.	50000
11099	LW44850D	DLC	840791110997	Wrap 42W 4410LM 5000K 120-277V <span style="color: red;">CLOSEOUT</span>	1	-	48" nom.	50000



**Wrap Fixture - Wattage & Color Selectable 3500K/4000K/5000K** Available late March 2022

11608	LW4WSCCTD1	-	840791116081	WRAP 32/40/48W 3680/4600/5520LM 3-CCT 120-277V	1	-	48" nom.	50000
-------	------------	---	--------------	------------------------------------------------	---	---	----------	-------



**Vapor Tight Low Bay** Items marked "CLOSEOUT" are in limited quantity, no substitutions when inventory is depleted.

10903	LVT44450D	DLC	840791109038	VAPOR TIGHT 30W 4200LM 5000K 100-277V <span style="color: red;">CLOSEOUT</span>	6	-	48" nom.	50000
-------	-----------	-----	--------------	---------------------------------------------------------------------------------	---	---	----------	-------

**Vapor Tight Low Bay - Wattage & Color Selectable 3500K/4000K/5000K** Available late March 2022

11618	LVT2WSCCTD1	-	840791116180	Vapor Tight 2' 15/20/25W 1950/2600/3250LM 3-CCT 120-277V	-	-	24" nom.	50000
11611	LVT4WSCCTD1	-	840791116111	Vapor Tight 4' 34/38/45W 4450/4950/5850LM 3-CCT 120-277V	-	-	48" nom.	50000



Order Code	Model Number	Energy Star	UPC	Description	Master	Inner	Replaces	Hours
11612	LVT8WSCCTD1	-	840791116128	Vapor Tight 8' 65/75/90W 8500/9900/11700LM 3-CCT 120-277V		-	96" nom.	50000
10980	-	-	840791109809	VAPOR TIGHT MICROWAVE OCCUPANCY SENSOR (Installed)	1	-	-	-
10979	-	-	840791109793	VAPOR TIGHT SENSOR REMOTE CONTROL	1	-	-	-
11468	-	-	840791114681	Emergency Back-up 15 watt 100-277V	-	-	-	-



**LED Strip Fixtures - Wattage & Color Selectable 3500K/4000K/5000K**

**Available late March 2022**

11609	LST4WSCCTD1	-	840791116098	Strip 4ft 22/28/40W 2860/3640/5200LM 3-CCT Selectable 120-277V		-	48" nom.	50000
11610	LST8WSCCTD1	-	840791116104	Strip 8ft 65/75/90W 8450/9750/11700LM 3-CCT Selectable 120-277V		-	96" nom.	50000



**LINEAR LED Highbay - Slim Design**

11451	HBL510550WH1	DLC	840791114513	HIGH BAY SLIM DESIGN 24" 105W 14175LM 5000K 120-277V	1	-	-	50000
11454	HBL515540WH1	DLC	840791114544	HIGH BAY SLIM DESIGN 24" 155W 20925LM 4000K 120-277V	1	-	-	50000
11455	HBL515550WH1	DLC	840791114551	HIGH BAY SLIM DESIGN 24" 155W 20925LM 5000K 120-277V	1	-	-	50000
11458	HBL521040WH1	DLC	840791114582	HIGH BAY SLIM DESIGN 24" 210W 28350LM 4000K 120-277V	1	-	-	50000
11459	HBL521050WH1	DLC	840791114599	HIGH BAY SLIM DESIGN 24" 210W 28350LM 5000K 120-277V	1	-	-	50000
11463	HBL530050WH1	DLC	840791114636	HIGH BAY SLIM DESIGN 48" 300W 40500LM 5000K 120-277V	1	-	-	50000
11281	-	-	840791112816	HIGH BAY MICROWAVE FULL FUNCTION SENSOR Designed for use with order codes: 11274, 11276, 11278, 11280, 11451, 11455, 11459, 11463	1	-	-	-
11282	-	-	8 40791112823	REMOTE CONTROL FOR 11281 SENSOR Required for setting all sensor capabilities	1	-	-	-
OSFHU-ITW	-	-	-	HIGH BAY ON/OFF PIR SENSOR 120/277/347V	1	-	-	-
HB011-PDX	-	-	-	HIGH BAY DIMMING PIR SENSOR 120/277/347V	1	-	-	-
HBLEMKIT	-	-	840791108406	High Bay Linear Emergency Battery Back-up 100-277V <b>OUT OF STOCK UNTIL JULY 2022</b> Please use 11617.	1	-	-	-
11617	-	-	840791116173	High Bay Linear Emergency Battery Back-up 100-347V	1	-	-	-
11384	-	-	840791113844	High Bay Linear Pendant Kit for Slim Dual Lens	1	-	-	-
11385	-	-	840791113851	High Bay Linear Wire Guard for Slim 105/162W	6	-	-	-
11386	-	-	840791113868	High Bay Linear Wire Guard for Slim 215W	6	-	-	-
11387	-	-	840791113875	High Bay Linear Wire Guard for Slim 321W	6	-	-	-
11388	-	-	840791113882	High Bay Linear Surface Mount Kit use with these order codes only: 11274, 11276, 11441, 11445	For 1	-	-	-

**LINEAR LED Highbay - 480 Volt**

HBL1500050WH4	HBL1500050WH4	DLC	840791108482	HIGH BAY 24" 110W 14410 LM 5000K 347-480V (12.6" wide)	1	-	-	5000
HBL3100040WH4	HBL3100040WH4	DLC	840791107539	HIGH BAY 48" 223W 29213 LM 4000K 347-480V (12.6" wide)	1	-	-	5000
HBL3100050WH4	HBL3100050WH4	DLC	840791107355	HIGH BAY 48" 223W 29213 LM 5000K 347-480V (12.6" wide)	1	-	-	5000
HBL4400040WH4	HBL4400040WH4	DLC	840791107546	HIGH BAY 48" 321W 41920 LM 4000K 347-480V (17.3" wide)	1	-	-	5000
HBL4400050WH4	HBL4400050WH4	DLC	840791107362	HIGH BAY 48" 321W 41920 LM 5000K 347-480V (17.3" wide)	1	-	-	5000
10883	-	-	840791108833	HIGH BAY SURFACE MNT KIT (fits 12.6" slim body)	1	-	-	-
10884	-	-	840791108840	HIGH BAY SURFACE MNT KIT (fits 17.3" wide body)	1	-	-	-
10694	-	-	840791106945	High Bay Wireguard - 23.8" x 17.3"	6	-	-	-

Order Code	Model Number	Energy Star	UPC	Description	Master	Inner	Replaces	Hours
10696	-	-	840791106969	High Bay Wireguard - 45.9" x 17.3"	6	-	-	-
OSFHU-I4W	OSFHU-I4W	-	-	HIGH BAY ON/OFF PIR SENSOR 480V (Installed)	1	-	-	-



**UFO LED Highbay Cast Alloy 100-277VAC (NSF Certified) Features: Easy twist on multi-function sensor**

11472	HBU10040B1	DLC	840791114728	HIGH BAY UFO 100W 14000LM 4000K NSF CERTIFIED 100-277V	1	-	-	50000
11473	HBU10050B1	DLC	840791114735	HIGH BAY UFO 100W 14000LM 5000K NSF CERTIFIED 100-277V	1	-	-	50000
11474	HBU15040B1	DLC	840791114742	HIGH BAY UFO 150W 21000LM 4000K NSF CERTIFIED 100-277V	1	-	-	50000
11475	HBU15050B1	DLC	840791114759	HIGH BAY UFO 150W 21000LM 5000K NSF CERTIFIED 100-277V	1	-	-	50000
11476	HBU20040B1	DLC	840791114766	HIGH BAY UFO 200W 28000LM 4000K NSF CERTIFIED 100-277V	1	-	-	50000
11477	HBU20050B1	DLC	840791114773	HIGH BAY UFO 200W 28000LM 5000K NSF CERTIFIED 100-277V	1	-	-	50000
11478	HBU24050B1	DLC	840791114780	HIGH BAY UFO 240W 31200LM 4000K NSF CERTIFIED 100-277V	1	-	-	50000
11479	HBU24050B1	DLC	840791114797	HIGH BAY UFO 240W 31200LM 5000K NSF CERTIFIED 100-277V	1	-	-	50000
11480	-	-	840791114803	UFO MICROWAVE MOTION SENSOR 100-277V	1	-	-	-
11481	-	-	840791114810	REMOTE CONTROL FOR 11480 SENSOR. Required for setting all sensor capabilities	1	-	-	-
11676			840791116760	HIGH BAY UFO 3/4" NPT Adapter. USE ONLY WITH 11472, 11473, 11474, 11475, 11476, and 11477 (available June 2022)	1	-	-	-
11566			840791115664	HIGH BAY UFO 3/4" NPT Adapter for use with only 240W UFO 11478 and 11479	1	-	-	-
11567			840791115671	HIGH BAY UFO WIREGUARD 100W/150W	1	-	-	-
11568			840791115688	HIGH BAY UFO WIREGUARD 200W/240W	1	-	-	-
11499	-	-	840791114995	EMERGENCY DRIVER FOR UFO HIGH BAY 40W 100-347V	1	-	-	-
11500	-	-	840791115008	REMOTE CONTROL FOR EMERGENCY DRIVER 11499	1	-	-	-



**UFO LED Highbay Cast Alloy 277-480V**

11177	HBU15040BK4	DLC	84079111772	HIGH BAY UFO 150W 19500LM 5000K 277-480V	1	-	-	50000
-------	-------------	-----	-------------	------------------------------------------	---	---	---	-------



**UFO LED Highbay Stamped Aluminum 347-480VAC** Items marked "CLOSEOUT" are in limited quantity, - substitutions when inventory is depleted.

10906	HBU1300040BK4	DLC	840791109069	HIGH BAY UFO 100W 13200LM 4000K 347-480V <b>CLOSEOUT</b>	1	-	-	50000
10914	HBU2700040BK4	DLC	840791109144	HIGH BAY UFO 200W 26400LM 4000K 347-480V <b>CLOSEOUT</b>	1	-	-	50000
10919	HBU3200040BK4	DLC	840791109199	HIGH BAY UFO 240W 31920LM 4000K 347-480V <b>CLOSEOUT</b>	1	-	-	50000



**Washdown High Bay**

Order Code	Model Number	Energy Star	UPC	Description	Master	Inner	Replaces	Hours
11171	HBW15050GR1	DLC	840791111710	WASHDOWN HIGH BAY 150W 19500LM 5000K 120-277V w/ MICROWAVE SENSOR	-	-	-	-
11174	HBW15050GR1	DLC	840791111741	WASHDOWN HIGH BAY 150W 19500LM 5000K 120-277V	-	-	-	-
11175	-	-	840791111758	WASHDOWN HIGH BAY MICROWAVE SENSOR 120-277V	-	-	-	-
11176	-	-	840791111765	WASHDOWN HIGH BAY REMOTE CONTROL FOR MICROWAVE SENSOR	-	-	-	-



#### LED Mini-Panel Architectural Fixtures

MP01700305WH2	MP01700305	Yes	840791106372	MINI RND 5.5" 11W 700LM 3000K CRI90 1PK	20	-	-	50000
MP02700305WH2	MP02700305WH2	Yes	840791106389	MINI SQR 5.5" 11W 700LM 3000K CRI90 1PK	20	-	-	50000
MP01700405WH2	MP01700405WH2	Yes	840791109236	MINI RND 5.5" 11W 700LM 4000K CRI90 1PK	20	-	-	50000
MP02700405WH2	MP02700405WH2	Yes	840791109243	MINI SQR 5.5" 11W 700LM 4000K CRI90 1PK	20	-	-	50000
MP01900307WH2	MP01900307	Yes	840791106396	MINI RND 7" 14W 900LM 3000K CRI90 1PK	20	-	-	50000
MP02900307WH2	MP02900307WH2	Yes	840791106402	MINI SQR 7" 14W 900LM 3000K CRI90 1PK	20	-	-	50000
MP01900407WH2	MP01900407WH2	Yes	840791109250	MINI RND 7" 14W 900LM 4000K CRI90 1PK	20	-	-	50000
MP02900407WH2	MP02900407WH2	Yes	840791109267	MINI SQR 7" 14W 900LM 4000K CRI90 1PK	20	-	-	50000
MP011200309WH2	MP011200309	Yes	840791106419	MINI RND 9" 19W 1200LM 3000K CRI90 1PK	10	-	-	50000
MP021200309WH2	MP021200309	Yes	840791106426	MINI SQR 9" 19W 1200LM 3000K CRI90 1PK	10	-	-	50000
MP011200409WH2	MP011200409WH2	Yes	840791109274	MINI RND 9" 19W 1200LM 4000K CRI90 1PK	10	-	-	50000
MP021200409WH2	MP021200409WH2	Yes	840791109281	MINI SQR 9" 19W 1200LM 4000K CRI90 1PK	10	-	-	50000



#### LED SLIM DOWNLIGHTS

11104	LSLIM4CCTWH2	Yes	840791111048	SLIM ROUND 4" 10W 650LM 5 COLOR SELECTABLE WHITE 120V	6	-	-	50000
11105	LSLIM6CCTWH2	Yes	840791111055	SLIM ROUND 6" 12W 900LM 5 COLOR SELECTABLE WHITE 120V	6	-	-	50000



#### LED Disk Lights - New

11598	DK12CCT4WH2	-	840791115985	DISK RND 4" 10W 650LM 5-CCT 1PK		-	-	50000
11599	DK15306WH2	-	840791115992	DISK RND 6" 15W 1050LM 3000K 1PK		-	-	50000
11600	DK15CCT6WH2	-	840791116005	DISK RND 6" 15W 1050LM 5-CCT 1PK		-	-	50000



#### Shop Light LED

11233	SH4040WH2	Yes	840791112335	SHOP LIGHT 40W 4000LM 4000K WH 120V LINKABLE (44")	6	-	100W	50000
11189	-	-	840791111895	SHOP LIGHT 24" LINKING CORD	1	-	-	-

Order Code	Model Number	Energy Star	UPC	Description	Master	Inner	Replaces	Hours

**LED Adjust-A-Twist BR Downlight (BRT) Architectural** Items marked "CLOSEOUT" are in limited quantity, - substitutions when inventory is depleted.

10597	LRTA4830D	Yes	840791105979	ADJ 4" Kit 8.5W 650LM 3000K CRI90 1PK Dimmable <span style="color: red;">CLOSEOUT</span>	10	-	65W	25000
10598	LRTA4840D	Yes	840791105986	RTKIT ADJ 4" 8.5W 650LM 4000K CRI90 1PK Dimmable <span style="color: red;">CLOSEOUT</span>	10	-	65W	25000
10599	LRTA4850D	Yes	840791105993	ADJ 4" Kit 8.5W 650LM 5000K CRI90 1PK Dimmable <span style="color: red;">CLOSEOUT</span>	10	-	65W	25000

**LED 8" Downlight Fixture**

10676	LRT83230	Yes	840791106761	RTKIT 8" 32W 2000LM 3000K 90° NO DIM 120/277V 1PK	6	-	120W	40000
-------	----------	-----	--------------	---------------------------------------------------	---	---	------	-------



**IC Rated Downlight Fixture** Items marked "CLOSEOUT" are in limited quantity, no substitutions when inventory is depleted.

RTF550304WH2	RTF550304	-	840791106044	RT 4" Fixture 7W 550LM 3000K CRI80 1PK Dimmable, Wet <span style="color: red;">CLOSEOUT</span>	10	-	-	40000
RTF700306WH2	RTF700306	-	840791106075	RT 6" Fixture 9W 700LM 3000K CRI80 1PK Dimmable, Wet <span style="color: red;">CLOSEOUT</span>	6	-	-	40000
RTF700406WH2	RTF700406	-	840791106082	RT FIXTURE 6" 9W 700LM 4000K 1PK Dimmable, Wet <span style="color: red;">CLOSEOUT</span>	6	-	-	40000
RTF700506WH2	RTF700506	-	840791106099	RT 6" Fixture 9W 700LM 5000K CRI80 1PK Dimmable, Wet <span style="color: red;">CLOSEOUT</span>	6	-	-	40000



**LED Commercial Downlight**

11418	DL6WSCCTWH1	Yes	840791114186	CDL 6" Watt & Color Selectable 7/10/18Watt 700/1000/1500Lumens 120-277V 0-10V Dim 90CRI	4	-	-	50000
11419	DL8WSCCTWH1	Yes	840791114193	CDL 8" Watt & Color Selectable 10/15/22Watt 1000/1500/200Lumens120-277V 0-10V Dim 90CRI	4	-	-	50000
11420	DL9WSCCTWH1	Yes	840791114209	CDL 9.5" Watt & Color Selectable 20/25/32Watt 2000/2500/3000Lumens 120-277V 0-10V Dim 90CRI	4	-	-	50000
11421	-	-	840791114216	CDL New Construction plate for joist installation	-	-	-	50000
11422	-	-	840791114223	CDL New Construction plate for T-Grid ceiling	-	-	-	50000
11423	-	-	840791114230	CDL 6" Goof Ring (For extending 8 1/4" to 10 1/2", Maximum Ceiling Cutout 9")	-	-	-	50000
11424	-	-	840791114247	CDL 8" Goof Ring (For extending 10 1/4" to 12 1/2", Maximum Ceiling Cutout 10 15/16")	-	-	-	50000
11425	-	-	840791114254	CDL 9.5" Goof Ring (For extending 11 1/2" to 14 3/16", Maximum Ceiling Cutout 12 3/8")	-	-	-	50000
11501	-	-	840791115015	Emergency Back-Up for Commercial Downlight, 15W 100-347V				

Order Code	Model Number	Energy Star	UPC	Description	Master	Inner	Replaces	Hours
								

LED Floodlight Fixture <b>Items marked "CLOSEOUT" are in limited quantity, no substitutions when inventory is depleted.</b>								
FL0190050BK1	FL0190050BK1	DLC	840791105290	FLOOD 10W 900L 5000K 120-277V KNUCKLE <b>CLOSEOUT</b>	24	-	-	50000
FL03500050BK1	FL03500050BK1	DLC	840791108444	FLOOD 50W 4900L 5000K 120-277V WITH YOKE <b>CLOSEOUT</b>	10	-	-	50000
FL04780050BK1	FL04780050BK1	DLC	840791105351	FLOOD 80W 7392L 5000K 120-277V KNUCKLE <b>CLOSEOUT</b>	6	-	-	50000
FL03500050BK3	FL03500050BK3	DLC	840791106808	FLOOD 50W 4900L 5000K 347V KNUCKLE <b>CLOSEOUT</b>	10	-	-	50000



LED Floodlight Fixture - 3000K, 4000K & 5000K Color Selectable								
11333	FL30CCTBK1	DLC	840791113332	FLOOD 30W 3420LM 3-CCT 100-277V KNUCKLE	8	-	-	50000
11334	FL50CCTBK1	DLC	840791113349	FLOOD 50W 5770LM 3-CCT 100-277V KNUCKLE	6	-	-	50000
11335	FL70CCTBK5	DLC	840791113356	FLOOD 70W 9500LM 3-CCT 100-347V KNUCKLE	4	-	-	50000
11337	-	-	840791113387	FLOOD YOKE MOUNT FOR 30W	1	-	-	-
11338	-	-	840791113394	FLOOD YOKE MOUNT FOR 50W	1	-	-	-
11339	-	-	840791113394	FLOOD YOKE MOUNT FOR 50W	1	-	-	-



LED Adjustable Wall Pack <b>Items marked "CLOSEOUT" are in limited quantity, no substitutions when inventory is depleted.</b>								
WP04A180040BK1	WP04A180040	DLC	840791104729	WP04 ADJ 20W 2100LM 4000K 120-277V <b>CLOSEOUT</b>	8	-	-	50000
WP04A180050BK1	WP04A180050	DLC	840791104736	WP04 ADJ 20W 2100LM 5000K 120-277V <b>CLOSEOUT</b>	8	-	-	50000
WP04A670040BK1	WP04A670040	DLC	840791104767	WP04 ADJ 70W 7700LM 4000K 120-277V <b>CLOSEOUT</b>	4	-	-	50000
WP04A670050BK1	WP04A670050	DLC	840791104774	WP04 ADJ 70W 7700LM 5000K 120-277V <b>CLOSEOUT</b>	4	-	-	50000
WP04A670040BK4	WP04A670040	DLC	840791104781	WP04 ADJ 70W 7700LM 4000K 347-480V <b>CLOSEOUT</b>	4	-	-	50000
WP04A670050BK4	WP04A670050	DLC	840791104798	WP04 ADJ 70W 7700LM 5000K 347-480V <b>CLOSEOUT</b>	4	-	-	50000
10690	JL-403C	-	840791106907	Photocell	1	-	-	-



LED Traditional Wall Pack <b>Items marked "CLOSEOUT" are in limited quantity, no substitutions when inventory is depleted.</b>								
10984	WPT900040BK1	DLC	840791109847	Traditional Wall Pack 75W 9000LM 4000K 100-277V Glass Lens <b>CLOSEOUT</b>	1	-	-	50000
11153	-	-	840791111536	Traditional Wall Pack Dark Sky Shield	1	-	-	-
10690	JL-403C	-	840791106907	Photocell	1	-	-	-

Order Code	Model Number	Energy Star	UPC	Description	Master	Inner	Replaces	Hours
 LED Traditional Wall Pack								

**LED Traditional Wall Pack - 4000K, 4500K & 5000K Color Selectable - includes Photocell**

11341	WPT40CCTBK1	DLC	840791113417	Traditional Wall Pack 40W 5000LM CCT Selectable Dark Sky 100-277V	1	-	-	50000
11342	WPT60CCTBK1	DLC	840791113424	Traditional Wall Pack 60W 7320LM CCT Selectable Dark Sky 100-277V	1	-	-	50000
11343	WPT80CCTBK1	DLC	840791113431	Traditional Wall Pack 80W 9950LM CCT Selectable Dark Sky 100-277V	1	-	-	50000
11344	WPT100CCTBK1	DLC	840791113448	Traditional Wall Pack 100W 12600LM CCT Selectable Dark Sky 100-277V	1	-	-	50000
11548	WPT120CCTBK1	DLC	840791115480	Traditional Wall Pack 120W 16500LM CCT Selectable Dark Sky 100-277V	1	-	-	50000
11468	-	-	840791114681	Emergency Back-up 15 watt 020-277V	-	-	-	-



**LED Mini Wall Pack**

11303	WPM1840BK1S	DLC	840791113035	Wall Pack Mini 18W 1980LM 4000K 100-277V	1	-	-	50000
11304	WPM1850BK1S	DLC	840791113042	Wall Pack Mini 18W 1980LM 5000K 100-277V	1	-	-	50000



**LED Canopy Square - Wattage & Color Selectable 3000K/4000K/5000K Available in mid-April 2022**

11625	CA50WSCCTBK1	-	840791116258	CANOPY 30/40/50W 3900/5200/9750LM 3-CCT 120-277V SQUARE	4	-	-	50000
11626	CA120WSCCTBK1	-	840791116265	CANOPY 72/96/120W 9300/12400/15600LM 3-CCT 120-277V SQUARE	4	-	-	50000



**LED Canopy Round - Color Selectable 3000K/4000K/5000K**

11551	CA40CCTBK5	-	840791115510	CANOPY 40W 5400LM 3CCT 100-347V 1PK	4	-	-	50000
11552	CA60CCTBK5	-	840791115527	CANOPY 60W 8100LM 3CCT 100-347V 1PK	4	-	-	50000
11553	CA100CCTBK5	DLC	840791115534	CANOPY 100W 13500LM 3CCT 100-347V 1PK	1	-	-	50000
11554	-	-	840791115541	CANOPY DC MOTION SENSOR	1	-	-	-
11555	-	-	840791115558	CANOPY DC MOTION SENSOR REMOTE CONTROL	1	-	-	-



**LED Yard Light (Barn Light)**

11185	LB404340BZ2	DLC	84079111857	YARD AREA LIGHT 40W 4300LM 4000K 120V BRONZE	4	-	-	50000
11186	LB404340WH2	DLC	84079111864	YARD AREA LIGHT 40W 4300LM 4000K 120V WHITE	4	-	-	50000
11187	LB708640BZ2	DLC	84079111871	YARD AREA LIGHT 70W 8600LM 4000K 120V BRONZE	4	-	-	50000
11188	LB708640WH2	DLC	84079111888	YARD AREA LIGHT 70W 8600LM 4000K 120V WHITE	4	-	-	50000

Order Code	Model Number	Energy Star	UPC	Description	Master	Inner	Replaces	Hours
11230	-	-	-	MOUNT ARM FOR YARD AREA LIGHT	4	-	-	50000



LED Area Light Type II, Type III, Type IV and Type V **Items marked "CLOSEOUT" are in limited quantity, - substitutions when inventory is depleted.**

11067	AL15050T3MBK1	DLC	840791110676	Area Light 150W 19500LM TYPE III 120-277V 5000K MEANWELL <b>CLOSEOUT</b>	1	-	400W	50000
11071	AL22050T3MBK1	DLC	840791110713	Area Light 220W 28600LM TYPE III 120-277V 5000K MEANWELL <b>CLOSEOUT</b>	1	-	600W	50000
11087	-	-	840791110874	Slip Fitter	-	-	-	-
11086	-	-	840791110867	AREA LIGHT PHOTOCELL 3-PIN	-	-	-	-
11190	-	-	840791111901	AREA LIGHT SHORTING CAP 3-PIN	-	-	-	-
11088	-	-	840791110881	Straight arm for square pole 3"x3" or larger	-	-	-	-
11089	-	-	840791110898	Straight arm for round pole 4,5,6"	-	-	-	-
11090	-	-	840791110904	Trunnion	-	-	-	-



LED Area Light Options available by special order include: Type II, Type IV and Type V; 4000K; Various Sensors

11374	AL8050T3BK1	-	840791113745	Area Light 80W 10400LM 120-277V 5000K Type III	1	-	250W	50000
11376	AL15050T3BK1	-	840791113769	Area Light 150W 19500LM 120-277V 5000K Type III	1	-	400W	50000
11377	AL30050T3BK1	-	840791113776	Area Light 300W 39000LM 120-277V 5000K Type III	1	-	600W	50000
11383	-	-	840791113837	Slip Fitter	-	-	-	-
11381	-	-	840791113813	Trunnion Mount	-	-	-	-
11379	-	-	840791113790	Straight Arm for Round and Square Poles / Universal Mount	-	-	-	-
11380	-	-	8 40791113806	Photocell	-	-	-	-