



PRODUCT CATALOG

LED Lamps and Bulbs

2023

General Purpose A19

A19 Omni-directional EarthBulb LED



BULB TYPE

A19

WATTS

5.5W, 8W, 11W, 14W,
3-Way

LUMENS

480 up to 1600

COLORS

2700K, 3000K, 4000K,
5000K

RATED HOURS

15,000

FEATURES

- + 2700K, 3000K, 4000K and 5000K available
- + Capable of dimming to less than 10%
- + Omni directional beam angle provides full radial illumination
- + May be used in enclosed fixtures
- + Suitable for damp location
- + Energy Star Rated

General Purpose A19 - GU24

A19 - GU24 Base



BULB TYPE

A19, GU24 Base

WATTS

9.5W

LUMENS

810

COLORS

2700K, 3000K, 4000K,
5000K

RATED HOURS

15,000

FEATURES

- + This A bulb provides 810 lumens, capable of dimming to less than 9%
- + 9.5 watts, 2700K, 3000K, 4000K, 5000K available
- + Omni directional beam angle provides full radial illumination
- + Suitable for outdoor use, damp location, when installed in fixtures and not directly exposed to weather
- + Not for use in enclosed fixtures
- + Energy Star rated

General Purpose A19 - Value Line

A19 - ECO bulb



BULB TYPE

A19

WATTS

5.5W, 9.5W,
11W, 14W

LUMENS

480 up to 1600

COLORS

2700K, 5000K

RATED HOURS

15,000

FEATURES

- + Non-Dimmable specialty lamp
- + 220°beam angle provides a broad light distribution
- + 2700K, 5000K available
- + High color rendering rating of over 80
- + Multi-pack configurations available 1pk, 2pk, 4pk, 8pk

LED Smart Bulbs

A19 | BR30



BULB TYPE

A19, BR30

WATTS

A19 - 9W
BR30 - 8W

LUMENS

A19 - 800
BR30 - 650

RATED HOURS


25,000

FEATURES

- + Easily control any color of white light from 2200K soft, warm light to 6500K crisp, daylight
- + The RGB, Red – Blue – Green, function allows you to create infinite colors as well
- + This Smart LED can also be grouped with others and controlled by room or area and can be set to turn on and off at multiple times per day or week for both convenience and security.
- + Control with App or Voice
 - On/Off – Scenes and Schedules – Tunable White – Device Sharing
 - Dimming – Color Changing – Remote Access
- + Control EarthBulb Smart LED with your iOS or Android phone or device, or voice control them with Amazon Alexa or Google Assistant
- + This lamp has a 25,000 hours rated life. E26 Medium screw base
- + Circadian rhythm function promotes awakesness and sleep cycles
- + Energy Star Rated

Miniature LED

GU10, MR16



BULB TYPE

Filament

WATTS

6.5W

LUMENS

500

COLORS

3000K, 4000K, 5000K

RATED HOURS

15,000

FEATURES

- + This bulb provides 500 lumens, capable of dimming to less than 10%
- + 2-pin GU10 base, MR16 - GU5.3 base
- + Suitable for outdoor use, damp location, when installed in fixtures and not directly exposed to weather
- + Lamp rated for enclosed fixtures
- + Energy Star rated

Decorative LED

G25

**BULB TYPE**

G25

WATTS

5W, 5.5W


LUMENS

5W - 350

5.5W - 500

COLORS

2700K

OPERATIONDimmable
& On/off Available**BULB TYPE**

G25 Filament Syle

WATTS

4W, 5W

LUMENS

4W - 350

5W - 450

COLORS

2700K, 5000K

Clear or White Finish

OPERATION

Dimmable

Decorative LED

Filament



BULB TYPE

S14, B10, BA10,
A19, ST19

COLORS

2700K
Clear Finish
E26, E12 Base

RATED HOURS


15,000

FEATURES

- + Unique filament LED design with clear glass
- + Same form & function as bulbs they are replacing
- + Filament for smooth dimming & incandescent look
- + Unique "Edison" style ST19 available
- + Available in 2700K soft white and 2400K warm color
- + Energy Star rated

LED Floodlight BR

Flood Light



BULB TYPE

BR20, BR30, BR40

WATTS

7W up to 15.5W

LUMENS

525 up to 1100

COLORS

2700K, 5000K

*select models also
available in 3000K,
4000K

RATED HOURS

15,000

FEATURES

- + BR20, BR30, BR40 available
- + Capable of dimming to less than 10%
- + Full 110° beam angle provides full radial illumination
- + 2700K, 5000K, select models 3000K, 4000K
- + Damp location rated
- + Can be used in enclosed fixture
- + BR30 rated hours are 25,000
- + Energy Star rated product

LED PAR

PAR Lamp



FEATURES

- + 520 lumen to 1200 lumen
- + 3000K, 4000K, 5000K
- + 40° beam, 25° beam on some models
- + Dimmable
- + High color rendering rating over 83
- + Wet rated UL and suitable for exterior locations
- + Face of the lamp looks like standard PAR lamps
- + Fits track heads like a PAR lamp is intended
- + Energy Star rated product

BULB TYPE

PAR16, PAR20,
PAR30SN, PAR30,
PAR38

WATTS

5W up to 15W

LUMENS

520 up to 1200

COLORS

3000K, 4000K,
5000K

RATED HOURS

15,000

LED PAR - High Lumen

PAR Lamp - High Lumen



BULB TYPE
PAR30, PAR38

WATTS
19.8W, 27W

LUMENS
2300, 3000

COLORS
3000K, 4000K,
5000K

RATED HOURS
50,000

FEATURES

- + Dimming when used on 120VAC
- + Available in 3000K, 4000K & 5000K
- + PAR30 flood light provides 2300 lumens
- + PAR38 flood light provides 3000 lumens
- + 25° beam angle provides a flood, not spot light
- + Unique LED array design look like halogen when powered on
- + Super Bright – 2x brighter
- + Wet rated UL and suitable for exterior locations
- + Fits track heads like a PAR lamp is intended

LED H.I.D. Replacement

High Lumen H.I.D. Replacement (Corn Bulb)



BASE TYPE

E26, EX39

WATTS

40W up to 120W

LUMENS

6300 up to 12600

COLORS*

3000K, 5000K

*Select models color and lumen selectable

RATED HOURS


50,000

FEATURES

- + Select models are wattage and color selectable
- + 6,300 & 12600 lumen available
- + Ideal replacement for conventional metal halide lamps
- + Utilizes high quality Samsung LED chips
- + 360° beam angle
- + Cooling technology activates during high heat conditions
- + Damp rated IP64
- + Suitable for use in enclosed fixtures
- + Operates on 120-277 volt systems
- + 50,000 hour rated life

LED Plug-In

4-pin Electronic Ballast, 2-pin Magnetic Ballast



FEATURES

- + 2-Pin and 4-Pin models available
- + 3000K, 4000K, 5000K available
- + LED provides instant on and full brightness – no waiting
- + Electronics Ballast & Magnetic Ballast lamps available
- + Horizontal lamps (which can also be used vertical) have an adjustable base design for downlights and wall sconce applications
- + Vertical lamps are designed for downlight or directional applications
- + Magnetic lamps can be directly wired to 120VAC
- + Not for use in enclosed fixtures.

BASE TYPE

4-PIN G24q-1 Horizontal

2-PIN GX23-2 Horizontal

4-PIN G24q-2 Vertical

2-PIN G24d-2 Vertical

WATTS

9W, 12W

LUMENS

800, 1100

COLORS


3000K, 4000K, 5000K

RATED HOURS

50,000

TLED Linear Tubes

Type A, Type B



FEATURES

Type A

- + Lumens per watt 140 – 150 lpw
- + High spec grade for Program Start, Instant Start and Emergency Back-up ballasts
- + Coated lamps available
- + T8 & T5 lamps available

Type B

- + Lumens per watt 140 – 150 lpw
- + Easy install double end
- + Emergency backup kit replaces fluorescent back-up for emergency egress lighting
- + Coated lamps available
- + R17d, 96" HO lamps In-Stock
- + 96" choices:
 - 43 Watt, 5500 Lumen (R17d & Fa8)
 - 34 Watt, 4400 Lumen (Fa8)

OFFERING

Type A
Plug & Play
T5 & T8

Type B
Direct Wire
T5 & T8

LENGTHS

24", 36", 48", 96",
U-Bend

COLORS

4000K, 5000K

*Select models available in
3000K, 3500K.

RATED HOURS

50,000

Optional Accessories Emergency Back-up Driver



CONTACT US TO LEARN MORE



Toll Free: 866.632.7840



www.earthtronics.com



Email: contact@earthtronics.com



Easily access our DLC/ Energy Star qualified products with rebates in your area.
ACCESS IT HERE: [Rebate Finder](http://www.earthtronics.com/rebate-finder/catalog/) | www.earthtronics.com/rebate-finder/catalog/

For the most up to date specifications,
please visit www.earthtronics.com.
Specifications are subject to change.

